## **International Journal of Advance Research in Science and Engineering**

Vol. No.6, Issue No. 04, April 2017 www.ijarse.com



## SYNTHESIS, CHARACTERIZATION, IN VIVO CYTOTOXICITY AND IMMOBILIZATION OF BGALACTOSIDASE ON POLY(O-TOLUIDINE)TITANIUM DIOXIDE NANOCOMPOSITE

Mohd Shoeb Khan<sup>1</sup>, Farha Firdaus<sup>2</sup>, Mohammad Shakir<sup>3</sup>

<sup>1,3</sup>Department of Chemistry, Aligarh Muslim University, Aligarh (India)
<sup>2</sup>Chemistry Section, Women's College of Science, Aligarh Muslim University, Aligarh

## **ABSTRACT**

The nanocomposites of poly(o-toluidine)-titanium dioxide (POT/TiO<sub>2</sub>) have been synthesized by in situ chemical oxidative polymerization of o-toluidine (monomer). The POT/TiO<sub>2</sub> nanocomposites are obtained by the addition of TiO<sub>2</sub> nanoparticles (NPs) in the POT. Subsequently,  $\beta$ -Galactosidase (BGAL) has been immobilized on POT/TiO<sub>2</sub>. The nanocomposite POT/TiO<sub>2</sub> nanocomposites were characterized by FTIR, SEM and TGA/DTA. The nano size of pure POT and its POT/TiO<sub>2</sub> nanocomposites were confirmed by transmission electron microscopy (TEM) and X-ray diffraction (XRD) studies. The particle size was found to be in the range of ~ 25-40 nm. The characterization results confirmed that there is a strong synergistic interaction among POT and TiO<sub>2</sub> NPs. The results showed that the POT/TiO<sub>2</sub> nanocomposites are thermally more stable as compared to pristine POT. The loading efficiency of POT/TiO<sub>2</sub> nanocomposites is 84.51%. The immobilized POT/TiO<sub>2</sub> nanocomposites enhance its stability, recycling efficiency and residual activity, an ideal candidate for industrial applications. The in vivo cytotoxicity studies of POT and POT/TiO<sub>2</sub> have also been estimated against brine shrimp.

Keywords: Thermogravimetric analysis, Composites, transmission electron microscopy, X-ray diffraction.