Volume No.07, Issue No.04, April 2018

www.ijarse.com

IJARSE ISSN: 2319-8354

# Inventory model with inventory-level-dependent demand rate without shortages

#### Dr. Vandana Malviya

Department of Mathematics, Mewar University, Gangrar, Chittorgarh, Rajasthan (India)

#### **ABSTRACT-**

After the development of Harris-Wilson formula about economic order quantity in 1915, some of extensions to this model were studied by several researchers, who considered many practical situations. Demand for inventory modeling is the most significant property which needs analysis. There is the number of factors that affect the demand pattern. One of the major factors governing demand is inventory level. We have discussed a manufacturing model, in which demand during the production period does not change and during the depletion period, it depends on the on-hand inventory level down to a certain point, and then becomes constant for rest of the period.

Keywords-Demand, Inventory level, Replenishment level.

#### **I.INTRODUCTION**

It is common belief that the presence of inventory has a motivational effect on the people around it. Attempts have been made to consider inventory level dependent demand rate by researchers like Baker and Urban (1988), Mandal and Phaujdar (1989), who studied a situation of this type. One more paper by Mandal and Phaujdar (1989) included deterioration alongwith stock dependent demand rate. Dutta and Pal (1990) developed a model with same concept. In the same year Dutta and Pal (1990) extended their own model by providing shortages. Similarly Gupta and Vrat (1986) studied model with stock dependent demand rate, in another paper Gupta and Vrat (1986) covered the possibility of multi items. Recently Chao-Ton Su, Lee-Ing Ton and Hung-Chang Liao (1996) studied a deteriorating inventory model with inflation and stock dependent demand rate.

In the presented inventory model, it is assumed that demand during the production period remains constant, and during the depletion period demand depends on the on-hand inventory level down to a certain level. After that it becomes constant for rest of the period.

#### II.ASSUMPTIONS AND NOTATIONS

Following assumptions are made in this model:

- 1. Replenishment rate is finite (replenishment is not instantaneous).
- 2. Demand rate remains constant throughout the production period.

### Volume No.07, Issue No.04, April 2018

#### www.ijarse.com

IJARSE ISSN: 2319-8354

3. As soon as production stops demand on inventory level with the relation given by  $R(Q) = \alpha Q^{\beta}$ , .....(A)

where  $\alpha$  and  $\beta$  are constants,  $\alpha > 0$  and  $0 < \beta < 1$ ,

- 4. Relation (A) is maintained till the level of inventory reaches a fixed point  $Q_0$ . From  $Q_0$  onwards there is constant demand rate given by  $R(Q) = \alpha Q_0^{\beta} = D$ , .....(B)
- 5. Lead time is assumed to be zero.
- 6. Shortages are not allowed.
- 7. There is only one item in the inventory system.

Notations used in this model are as follows:

- Ø = Replenishment rate
- S = Demand rate
- Q = Inventory level at any time t
- $Q_1 = Maximum$  level of inventory
- q = Lot size
- $C_1$  = Holding cost per item per unit time
- $C_3$  = Set-up cost per set-up
- $0 t_1$  = Time duration in which inventory is built
- $t_1 t_2$  = Time duration in which demand rate follows the relation  $\alpha Q^{\beta}$
- $t_2 T$  = Time duration in depletion period in which demand rate is constant

#### III.MATHEMATICAL ANALYSIS

Since  $\emptyset$  is the production rate and S is the demand rate, therefore procuring rate of inventory is  $\emptyset - S$ .

Procuring period 
$$t_1 = \frac{q}{\emptyset}$$
 ......(i)

Now maximum level of inventory is  $Q_1 = (\emptyset - S)t_1 = (\emptyset - S)\frac{q}{\emptyset}$  .....(ii)

From (ii)

We have 
$$t_1 = \frac{Q_1}{(\emptyset - 5)}$$
 ...... (iii)

Level of inventory Q during depletion is as follows

$$Q = Q_1$$
, when  $t = t_1$ 

$$= Q_0$$
, when  $t = t_2$ 

$$= 0$$
, when  $t = T$ 

Differential equation for depletion of inventory is given by

## Volume No.07, Issue No.04, April 2018

#### www.ijarse.com

ISSN: 2319-8354

$$\frac{dQ}{dt} = -\alpha Q^{\beta}, \qquad t_1 \le t \le t_2$$

$$= -D, \qquad t_2 \le t \le T$$
(1)

Using the condition  $Q = Q_1$  at  $t = t_1$ , the solution of (1) becomes

$$Q^{(1-\beta)} = Q_1^{(1-\beta)} + \alpha(1-\beta)t_1 - \alpha(1-\beta)t \tag{3}$$

Since  $Q = Q_0$  at  $t = t_2$  so we have from (3)

$$Q_0^{(1-\beta)} = Q_1^{(1-\beta)} + \alpha(1-\beta)t_1 - \alpha(1-\beta)t_2$$
(4)

On Solving (2), using Q = 0 at t = T, we have

$$Q = D(T - t_2), \quad t_2 \le t \le T \tag{5}$$

At  $t = t_2$ ,  $Q = Q_0$ . Therefore (5) can be written as

$$Q_0 = D(T - t_2) \tag{6}$$

$$\Rightarrow t_2 = \frac{DT - Q_0}{D} \tag{7}$$

Using  $t_2$  from (7) in (4), we have

$$\begin{split} Q_0^{(1-\beta)} &= [Q_1^{(1-\beta)} + \alpha(1-\beta)t_1 - \alpha(1-\beta)\frac{DT - Q_0}{D}] \\ \Rightarrow T &= \frac{\{Q_1^{(1-\beta)} - Q_0^{(1-\beta)}\}}{\{\alpha(1-\beta)\}} + t_1 + \frac{Q_0}{D} \end{split} \tag{8}$$

Total inventory 'I' during the complete cycle is calculated as

$$\begin{split} I &= \int_0^T Q \ dt = \int_0^{t_1} Q \ dt + \int_{t_1}^{t_2} Q \ dt + \int_{t_2}^T Q \ dt \\ &= \int_0^{t_1} (\emptyset - S)t \ dt + \int_{t_1}^{t_2} \left\{ Q_1^{(1-\beta)} + \alpha (1-\beta)t_1 - \alpha (1-\beta)t \right\}^{1/(1-\beta)} \ dt \end{split}$$

$$= \int_{0}^{T} (\beta - 3)t \, dt + \int_{t_{1}}^{T} \{Q_{1}^{T} + \alpha(1 - \beta)t_{1} - \alpha(1 - \beta)t\}$$
 at 
$$+ \int_{t_{2}}^{T} D(T - t) \, dt$$

$$=\frac{(\emptyset-S)t_1^2}{2}+\frac{\left\{Q_1^{(1-\beta)}\right\}^{(2-\beta)/(1-\beta)}}{\{\alpha(2-\beta)\}}-\frac{\left\{Q_1^{(1-\beta)}+\alpha(1-\beta)t_1-\alpha(1-\beta)t_2\right\}^{(2-\beta)/(1-\beta)}}{\{\alpha(2-\beta)\}}+\frac{D(T-t_2)^2}{2}$$

Eliminating  $t_1$ ,  $t_2$  and T from (i), (4) and (6), we have

$$I = \frac{(\phi - s)q^2}{(2\phi^2)} + \frac{\{Q_1^{(2-\beta)} - Q_0^{(2-\beta)}\}}{\{\alpha(2-\beta)\}} + \frac{Q_0^2}{2D}$$

$$= \frac{(\phi - s)q^2}{(2\phi^2)} + \frac{[Q_0^2(2-\beta)\alpha + 2D\{Q_1^{(2-\beta)} - Q_0^{(2-\beta)}\}]}{\{2\alpha D(2-\beta)\}}$$
(9)

Eliminating q by using (ii) in (9), we have

## Volume No.07, Issue No.04, April 2018

#### www.ijarse.com

IJARSE ISSN: 2319-8354

$$I = \frac{Q_1^2}{\{2(\emptyset - S)\}} + \frac{\left[Q_0^2(2 - \beta)\alpha + 2D\left\{Q_1^{(2 - \beta)} - Q_0^{(2 - \beta)}\right\}\right]}{\{2\alpha D(2 - \beta)\}}$$
(10)

The cost function per unit time,  $K_1(Q_1)$ , is given by the relation

$$K_1(Q_1) = \frac{\left[C_1 I + C_3\right]}{T}$$

$$= \frac{\left[c_{1}\left\{\frac{Q_{1}^{2}}{(2(\emptyset-5))} + \frac{\left[Q_{0}^{2}(2-\beta)\alpha+2D\left[Q_{1}^{(2-\beta)} - Q_{0}^{(2-\beta)}\right]\right]}{(2\alpha D(2-\beta))}\right\} + c_{3}\right]}{\left[\frac{\left[Q_{1}^{(1-\beta)} - Q_{0}^{(1-\beta)}\right]}{(\alpha(1-\beta))} + t_{1} + \frac{Q_{0}}{D}\right]}$$

$$(11)$$

Eliminating  $t_1$  and D from (11) using equation (iii) and the relation  $D = \alpha Q_0^{\beta}$ , we get

$$K_1(Q_1) = \frac{\left[c_1 \left\{ \frac{Q_1^2}{(2(0-S))} + \frac{\left[Q_0^2(2-\beta)\alpha + 2\alpha Q_0^{\beta} \left[Q_1^{(2-\beta)} - Q_0^{(2-\beta)}\right]\right]}{(2\alpha D(2-\beta))} \right\} + C_3}{\left[\frac{\left[Q_1^{(1-\beta)} - Q_0^{(1-\beta)}\right]}{(\alpha(1-\beta))} + \frac{Q_1}{(0-S)} + \frac{Q_0}{\alpha Q_0^{\beta}}\right]}$$

Now for optimal  $K_1(Q_1)$  we use the condition  $\frac{dK_1(Q_1)}{dQ_1} = 0$ 

i.e., 
$$A_1Q_1^{(2-\beta)} + A_2Q_1^{2(1-\beta)} + A_3Q_1^2 + A_4Q_1 + A_5Q_1^{(1-\beta)} + A_6Q_1^{-\beta} + A_7 = 0$$
 (12)

Where

$$A_1 = \alpha Q_0^{2\beta} C_1 (\emptyset - S) \{ 2 + (1 - \beta) (2 - \beta) \},$$

$$A_2 = 2C_1 Q_0^{2\beta} (\emptyset - S)^2,$$

$$A_3 = \alpha^2 Q_0^2 C_1 (1 - \beta)(2 - \beta),$$

$$A_4 = -2\alpha\beta Q_0^{(1-\beta)} C_1(\emptyset - S)(2 - \beta),$$

$$A_5 = -2\beta Q_0^{(1-\beta)} C_1 (\emptyset - S)^2 (2 - \beta),$$

$$A_6 = (1 - \beta)(\emptyset - S)^2 Q_0^\beta \{\beta Q_0^2 C_1 - 2\alpha Q_0^\beta C_3 (2 - \beta)\}$$
 and

$$A_7 = \alpha \beta C_1 Q_0^{(2+\beta)} (\emptyset - S) (1 - \beta) - 2 C_2 \alpha^2 Q_0^{2\beta} (1 - \beta) (2 - \beta) (\emptyset - S).$$

Equation (12) can be solved by using a suitable numerical method such as Newton-Raphson Method.

## Volume No.07, Issue No.04, April 2018

### www.ijarse.com

ISSN: 2319-8354

As the criterion of optimality is based on minimum cost, the following condition should be satisfied.

$$\frac{d^2 K_1(Q_1)}{d Q_1^2} > 0$$

q can be calculated by the formula  $q = \frac{\emptyset Q_1}{(\emptyset - S)}$ 

In case  $Q_1$  obtained from (12) is such that  $Q_1 \leq Q_0$  then we proceed as follows:

Since demand follows linear relation as soon as level of inventory reaches the point  $Q_0$  we have the following formula to calculate cost  $K_2(Q_1)$ .

Cost function = 
$$K_2(Q_1) = \frac{c_1Q_1}{2} + \frac{c_3}{T}$$

$$T = t_1 + t_2 = \frac{q}{\emptyset} + \frac{Q_1}{\left(\alpha Q_0^{\beta}\right)}$$

$$= \frac{q}{\emptyset} + \frac{(\emptyset - S)q}{\left(\alpha Q_0^{\beta} \emptyset\right)}$$

$$=\frac{q}{\varnothing}\frac{\left\{\alpha Q_0^{\beta}+(\varnothing-S)\right\}}{\left(\alpha Q_0^{\beta}\right)}$$

$$=\frac{Q_1}{(\varnothing-S)}\frac{\left\{\alpha Q_0^{\beta}+(\varnothing-S)\right\}}{\left(\alpha Q_0^{\beta}\right)}$$

Thus 
$$K_2(Q_1) = \frac{c_1 Q_1}{2} + \frac{c_3 \alpha Q_0^{\beta} (\emptyset - s)}{\left[Q_1 \left\{\alpha Q_0^{\beta} + (\emptyset - s)\right\}\right]}$$

Applying the condition of optimality, we have

$$Q_1 = \left[ \frac{2c_3\alpha \varrho_0^{\beta} (\phi - s)}{c_1 \left\{ \alpha \varrho_0^{\beta} + (\phi - s) \right\}} \right]^{1/2}$$
(13)

It can be seen that if this  $Q_1 < Q_0$  then  $Q_1$  obtained from (12) is also less than  $Q_0$ .

#### IV.NUMERICAL EXAMPLES

Example 1 Assume  $\alpha = 0.5$  units,  $\beta = 0.4$ ,  $\emptyset = 8$  units/unit time, S = 6 units/unit time,  $C_1 = 1$ /unit/ unit time,  $C_2 = 45$ /replenishment,  $Q_0 = 6$  units.

# Volume No.07, Issue No.04, April 2018

#### www.ijarse.com

ISSN: 2319-8354

Solution: Using the value of parameters in equation (13) we have optimal lot-size

 $Q_1 = 7.806787712$ 

Since  $Q_1 > Q_0$  formula (12) is applicable, from which  $Q_1$  comes out to be 7.81.

Example 2 Assume  $\alpha = 0.5$  units,  $\beta = 0.4$ ,  $\emptyset = 8$  units/unit time, S = 6 units/unit time,  $C_1 = 1$ /unit/ unit time,  $C_2 = 26$ /replenishment,  $Q_0 = 6$  units.

Solution: Using the value of parameters in equation (13) we have optimal lot-size

 $Q_1 = 7.806787712$ 

Since  $Q_1 > Q_0$  formula (12) is applicable, from which  $Q_1$  comes out to be 7.81.

Solution: Using the value of parameters in equation (13) we have optimal lot-size

 $Q_1 = 5.934071665$ 

Since  $Q_1 < Q_0$  so we need not to calculate  $Q_1$  from equation (12).

#### **V.DISCUSSION**

It is a general tendency of customers to get attracted by huge stock of goods being sold. But customers continue to arrive for purchase inspite of the depleted stocks. This is mainly due to the goodwill, the maintenance of quality as well as the genuineness of the price of the articles.

Equation (12) reduces to the case of infinite replenishment when  $(\emptyset - S) \to \infty$ . If in addition  $\beta \to 0$  the system reduces to simple lot-size formula and then equation (13) reduces to the well known squares root formula.

#### **REFERENCES**

- [1] Lu, Lihao, Zhang, Jianxiong, Tang, Wansheng, "Optimal dynamic pricing and replenishment policy for perishable items with inventory-level-dependent demand," International journal of systems science, 1 (July (1)), 1480–1494 (2014).
- [2] Haijema, René, "A new class of stock-level dependent ordering policies for perishables with a short maximum shelf life," International journal of production economics, 143 (June (2)), 434–439 (2013).
- [3] Min, Jie, Zhou, Yong-Wu, Liu, Gui-Qing, Wang, Sheng-Dong, "An EPQ model for deteriorating items with inventory-level-dependent demand and permissible delay in payments," International journal of systems science, 43 (June (6)), 1039–1053 (2012).

### Volume No.07, Issue No.04, April 2018

#### www.ijarse.com

ISSN: 2319-8354

- [4] Ghosh, Santanu Kumar, Sarkar, Tania, Chaudhuri, Kripasindhu, "A multi-item inventory model for deteriorating items in limited storage space with stock-dependent demand," American journal of mathematical and management sciences, 34 (January (2)), 147–161 (2012).
- [5] Shah, Nita H., Patel, Amisha R., "Optimal ordering and transfer policy for deteriorating inventory with stock-dependent demand," International journal of operations and quantitative management, 18 (2), 129–143 (2012).
- [6] W.-L. Huang and S. Huang, "An inventory model for items with weibull distribution deterioration rate under stock-dependent demand [J]," Industrial engineering and management, Vol. 2, pp. 72–75, 101 (2007).
- [7] H. Shah, Nita and Y. K. Shah, "Literature survey on inventory model for deteriorating items," Economic annals (Yugoslavia), XLIV, 221-237, (2000).
- [8] Jamal, A.M., Sarkar, B. R. and Wang, S., "An ordering policy for deteriorating items with allowable shortages and permissible delay in payment", Journal of the operational research society, 48, 826-833 (1997).
- [9] Chao-Ton Su, Lee-Ing Tong and Hung-chang Liao, "An inventory model under inflation for stock dependent consumption rate and exponential decay," Opsearch, 33, pp. 71-82 (1996).
- [10] F. Raafat, "Survey of literature on continuously deteriorating inventory models," Journal of the operational research society, 42 (1), 27-37, (1991).
- [11] Datta, T. K. and A. K. Pal, "A note on an inventory model with inventory-level-dependent demand rate," Journal of the operational research society, 41, pp. 971-975 (1990).
- [12] Datta, T. K. and A. K. Pal, "Deterministic inventory system for deteriorating items with inventory-level-dependent demand rate and shortages," Opsearch, 27, pp. 213-224 (1990).
- [13] Mandal, B. N. and S. Phaujdar, "An inventory model for deteriorating items and stock-dependent consumption rate," Journal of the operational research society, 40, pp. 483-488 (1989).
- [14] Mandal, B. N. and S. Phaujdar, "A note on an inventory model with stock-dependent consumption rate," Opsearch, 26, pp. 43-4 (1989).
- [15] Baker, R. C. and T. L. Urban, "A deterministic inventory system with an inventory-level-dependent demand rate," Journal of the operational research society, 39, pp. 823-831(1988).
- [16] Gupta, R. and P. Vrat, "Inventory models for stock dependent consumption rate," Opsearch, 23, pp. 19-24 (1986).
- [17] Gupta, R. and P. Vrat, "Inventory models with multi-items under constraining systems for stock dependent consumption rate," Proc. of XIX annual convention of operational research society, India, 2, pp. 579-609 (1986).
- [18] Wilson, R. H., "A scientific routine for stock control," Harvard Business Review, 13, 116-128 (1934).
- [19] Harris, Ford W., "Operations cost (Factory management series)," Chicago: Shaw (1915).