Automation in Agriculture Using Agrobot Prajwala S¹, Prithvi P², Reshma Shree E³, Dr. M. Levy⁴

- 1, 2, 3, Students, Department of ECE, Sambhram Institute of Technology, Bangalore, India
- 4, Professor, Department of ECE, Sambhram Institute of Technology, Bangalore, India

Abstract

In India, nearly about 70% people are dependent upon agriculture. So the agricultural system in India should be advanced to reduce the efforts of the farmers. Various number of operations is performed in the agricultural field like seeding, weeding, weed cutting, ploughing etc. Very basic and significant operation is seeding, ploughing, weed removal. But the present methods of seeding, ploughing and plant cutting are problematic. The equipments used for seed sowing are very difficult and inconvenient to handle. So there is a need to develop equipment which will reduce the efforts of the farmers. This system introduces a control mechanism which aims to drop seeds at particular position with specified distance between two seeds and lines while sowing. The robotic arm helps in weed removal. Therefore, the drawbacks of the existing system will be removed successfully in this automatic machine.

Index Terms-Seed sowing, ploughing, weed removal.

I. INTRODUCTION

In the earlier days, there wasn't much of technological advancement. So the farmers performed seeding, ploughing and plant cutting by hand. But in recent times, technology has fairly advanced, so now it's not necessary to do seeding in sunlight. By using robot technology one can sit in a different location or a shaded place and can do seeding by monitoring the robot motion. Today's agricultural field demands to find new ways of agricultural operation to improve performance efficiency. In the field of agriculture various problems are faced by the farmers in the operations like seed sowing, ploughing, and waste planet cutting, weeding. Also the equipments used to perform the operations are very heavy. Due to migration of humans to the cities, there is very little labor available. Robotics technology plays a paramount role in all sections like medical field, industries and various organizations. In other countries robots are used to perform different operations in the agricultural field. We can make use of the available technologies and the robotics technology in the farming system to reduce the efforts of farmers and also to reduce time, energy and required cost.

II. LITERATURE SURVEY

1. Mahesh R Pundikar – A review: MultiseedSowing Machine, IJESS Volume 3, Issue 3.

ISSN:2249-9482

Mahesh R. Pundikar et al [1] studied the performance of seeding, ploughing and plant cutting devices by using image processing algorithm using flash magic. They also studied the effect of seed depth, seed spacing, miss seeding ratio and performance seed sowing device on germination of seed and efficiency of yield crop.

AdityaKawadaskar- Review method of seed soil and concept of multipurpose seed sowingmachine, IJPRET,
 Volume 1(8): 267-276

Adityakawadskar et al [2] redesigned and tested the seed sowing machine using CAD package like PROE. They concluded that multipurpose seed sowing machine maintain row spacing, control seed and fertilizer rate, control the seed and fertilizer depth.

3.B.Mursec – Testing of quality of sowing by pneumatic sowingmachines , JAMME, Volume 26 , Issue 1 , January 2008

B.Mursec et al [3] presented two sowing machines pneumatic vacuum sowing machine OLT and pneumatic pressure sowing machine Aeromat-Becker for interval sowing, differing in the mode of operation for cultivation of sugar beet. They concluded that on the pneumatic vacuum sowing machine OLT the optimum distance between seeds in the sowing row is reached with 4.5 - 8 km/h speed and on the pneumatic pressure sowing machine Aeromat - Becker with 4.5 - 10 km/h.

4. Joginder Singh – Study relating to formulating long term mechanization strategy for each agro climatic zone in India

Joginder Singh [4] studied the effect of farm mechanization on Indian economy. He concluded that Production and productivity cannot be enhanced with primitive and traditional methods. Thus, selective mechanization is the need of the future.

5. Shivaprasad B S , Ravishankara M N , B N Shoba – Design and implementation of seeding and fertilizing agriculture robot , Volume 3 , Issue 6 , 2014

The agricultural robot can be controlled by the Internet using Raspberry Pi. Live streaming can be seen in the computer by typing IP address and password, it measures the moisture of soil, temperature of soil and performing seeding in fertilizing in agricultural field.

6. Riya Desai – Removal of weeds using Image processing, IJACT, ISSN: 2319-7900

A leaf recognition system is proposed in which the use of leaf vein and shape can be used for plant classification; color machine system is specialized for making color measurements such as location of objects based on color, the extent of a color object, color textures.

7. ShoheiNakai, Yasuhiro Yamada – Development of weed suppression robot, IJMME, Volume 8 Issue 12, 2014. This robot can remove weeds in inter row and intra row spacing because the robot can be freely controlled. Using the stereo camera image is processed.

III.DRAWBACKS

The robotic systems play an immense role in all sections of societies, organization and industrial units. The basic idea in this study is to develop a mechanized devise that helps in on-farm operations like seeding/seed sowing at predesignated distances and depths with all applicable sensors for controlling humidity, temperature. But many problems are faced by farmer during seed sowing operation, like proper adjustment of distance between two crops, distance between two rows. Seed sowing's very basic and paramount operation in the agricultural field. Nowadays seed sowing is done either manually or by tractors. Manual method includes broadcasting the seeds by hand. Sometimes method of dibbling that is making holes and dropping seeds by hand is used. Also a pair of bullocks is used to carry the heavy equipment of leveling and seed dropping. Another method of seed sowing is to use tractor in farms. The heavy equipments of seed storage and dropping mechanism are attached to the tractor to drop the seeds.

IV. OBJECTIVE

The proposed system as shown in Figure 1 has three main sections like seeding, ploughing and waste plant cutting, which are inter-communicated using communication technologies. The control station as well as robotic station possess the amenities viz., temperature sensor, humidity sensor, seed dispenser, seed storage, robotic system with motors, microcontroller.

The microcontroller is the brain of this system, which can dedicate the order of suggestion received to all the networks, and sensible factors processed by their corresponding embedded programs. We can use android and all the information sent through GSM to robot machine. The seeding and ploughing unit performs the respective operations. The robotic arm plucks the unwanted plant out with the help of digital image processing.



Fig. 1. The Proposed System - AGROBOT

V. EXPERIMENTAL RESULTS

When the robot is turned on, it checks the humidity and temperature and informs the farmer if it's normal or if it's high. It has two modes, ploughing &seed sowing mode and plant cutting mode. In the ploughing mode, the plough digs a hole through the land and the seed is dropped by a funnel at specified distances. In the plant cutting mode, the camera clicks the picture of the field and that picture is compared against the ones in the database and if a weed is found the robotic arm plucks it out. A GSM module SIM300A is used. The temperature and humidity details are sent to the SIM. The details of weed being removed are also sent to the SIM for the farmer's reference. The system with sensors is shown in Figure 2



Fig 2. The System with Sensors

VI. CONCLUSION

This project aims to reduce the workload of the farmer by its automated services. This robotic system plows, sows the seeds at required distance and removes the weeds and the infected leaves using IoT and Image Processing. By doing so, this system considerably reduces the time spent in the field in comparison to the traditional method.

VII. ACKNOWLEDGMENT

We would like to show our deepest gratitude to **Dr.C.V.Ravishankar**, Head of Electronics andCommunication Engineering Department, SaIT was very supportive. He provided us with facilities of the college tohelp make the project a success **Dr. M. Levy**, Professor, Electronics andCommunication Engineering, has been very helpful in the design and construction of the concept, and always offered guidance when we faced dead ends.

REFERENCES

- 1. Mahesh R Pundikar A review: MultiseedSowing Machine, IJESS Volume 3, Issue 3. ISSN:2249-9482
- 2. AdityaKawadaskar- Review method of seed soil and concept of multipurpose seed sowing machine, JJPRET, 2013; Volume 1(8): 267-276
- 3. B.Mursec Testing of quality of sowing by pneumatic sowing machines , JAMME, Volume 26 , Issue 1 , January 2008
- 4. Joginder Singh Study relating to formulating long term mechanization strategy for each agro climatic zone in India
- 5. Shivaprasad B S , Ravishankara M N , B N Shoba Design and implementation of seeding and fertilizing agriculture robot , Volume 3 , Issue 6 , 2014
- 6. Riya Desai Removal of weeds using Image processing, IJACT, ISSN: 2319-7900
- 7. ShoheiNakai , Yasuhiro Yamada Development of weed suppression robot, IJMME , Volume 8 Issue 12 , 2014
- P.Vijay, K.V.N.Rakesh , B.Varun "Design of a Multi-Purpose Seed Sow Come Plough" International Journal of Emerging Technology and Advanced Engineering, (ISSN 2250-2459, ISO 9001:2008 Certified journal, Volume 3, Issue 4, April 2013)
- 9. B.B Mandelbrot, "The Fractal Geometry of Nature, New York," W.H. Freema, 1983].
- Ahmed AzeezKhudhair Al-Zabee1,2, Saba Qasim Jabbar1, Desheng Wang1. "Fractal antennas (study and review)".
 International journal of computers and technology, volume 15 Number 13, ISSN 2277-3061.

- 11. Werner, Douglas H., and SumanGanguly. "An overview of fractal antenna engineering research." IEEE Antennas and propagation Magazine 45, no. 1 (2003): 38-57.
- 12. Patil, Sarang, and VandanaRohokale. "Multiband smart fractal antenna design for converged 5G wireless networks." In Pervasive Computing (ICPC), 2015 International Conference on, pp. 1-5. IEEE, 2015
- 13. Takebe, Kozaburo, Hidetoshi Miyashita, Keisuke Takano, Masanori Hangyo, and Sang-Seok Lee. "Electromagnetic wave absorption characteristics of H-shaped fractal antenna for multi-band microbolometer."
- 14. G. A. Losa, Switzerland. "Fractals and their contribution to biology and medicine".
- 15. AmanpreetKaur 1, Gursimranjitsingh 2. "A Review Paper on Fractal Antenna Engineering". International Journal of Advanced Research in Electrical, Electronics and Instrumentation Engineering ,(An ISO 3297: 2007 Certified Organization) Vol. 3, Issue 6, June 2014.
- 16. Mircea V. Rusu and Roman Baican. "Fractal Antenna Applications".
- 17. M. Levy, S. Bose, A. Dinh, and D. S. Kumar, A Novelistic Fractal Antenna For Ultra wideband (UWB) Applications, Progress In Electromagnetics Research B, Vol. 45, 369–393, 2012.
- 18. M. Levy, D. Sriram Kumar, and A. V. DinhAnalysis of Nonlinear Fractal Optical Antenna Arrays A Conceptual Approach, Progress In Electromagnetics Research B, Vol. 56, 289–308, 2013.
- 19. M. Levy, D. Sriram Kumar, and AnhDinh, Analysis of Novel Fractal Optical Antenna Arrays A Conceptual Approach, Progress InElectromagnetics Research M, Vol. 32, 83–93, 2013.

ABOUT THE AUTHORS

DR. M. LEVY is currently working as Professor in the Department of Electronics and Communication Engineering at Sambhram Institute of Technology, Bengaluru. He is also the P.G Coordinator and Research Coordinator in ECE Department. He has obtained his Ph. D Degree in the thesis entitled "Investigations on fractal concepts in smart antennas, ultra-wide band antennas and optical antennas" jointly from University of Saskatchewan, Saskatoon Canada and National Institute of Technology, Tiruchirappalli, Tamil Nadu, India. Entering as Topper in Government Engineering College, Pondicherry affiliated to Pondicherry University, he has done Bachelor of Technology in Electronics and Communication Engineering. He studied Masters of Technology in Electronics and Communication Engineering as a top GATE candidate in the Pondicherry Engineering College, Government Undertaken, Pondicherry affiliated to Pondicherry University and completed as University Top Ranker and Gold Medalist. He has also won the Best Student Award and Chief Ministers Gold Medal Prize. He is also the Recipient of Best Project Award for his M.Tech Project. He has attended several Workshops, Seminars, Faculty Development Programs, National and International Conferences, Specialized training Programs and presented several technical papers and also delivered special talks at various colleges, special gatherings and Institution of Engineers, India (IEI). He was a participant in the President meeting held at Anna university, Chennai and attended the special lecture delivered by Dr.A.P.J.AbdhulKalam, the then President of India in the year July 2003. He has Keen interest for Research in the Field of Smart Antennas for Wireless Communications,

optical antennas and Ultra-Wide Band Antennas applying fractal concepts and working in the Areas of Applications and developing new algorithms in Smart Antennas Technology for Mobile Communications, designed and developed novel UWB antennas and done numerical analysis for the designed antennas. He has around 25 national and international conference papers published 15 international journal research papers in reputed journals and four journal papers are under preparation. He has won the MHRD scholarship and Canadian common wealth scholarship and is having International research experience at Canada from January 2012 to July 2012 at the University of Saskatchewan, Saskatoon, Canada under the leadership of Dr. AnhDinh, Professor, Dept. of Computer and Electrical Engineering. He is having total 20 years of teaching experience and taught many subjects and guided around 20 B.Tech and M. Tech projects. He has applied to various organizations for funded projects which is under review.

Prajwala S, Prithvi P and Reshma Shree E are Final year students of Electronics and Communication Engineering from Sambhram Institute of Technology, Bengaluru.