

A55 - TANU DIAGNOSTIC CENTRE
A-14, AGARSEN PARK, GOVINDPURI, MODI
NAGAR, U.P.-201201
MODINAGAR

Name	: Mr. ATUL SHARMA	Collected	: 19/5/2021 1:22:00PM
Lab No.	: 306854126	Age: 43 Years	Gender: Male
		Received	: 19/5/2021 1:48:17PM
		Reported	: 20/5/2021 11:22:22AM
A/c Status	: P	Ref By: SELF	Report Status: Final

Test Name	Results	Units	Bio. Ref. Interval
SARS-COV-2 (COVID-19) IgG ANTIBODY @ * (CLIA)	17.50	AU/mL	<12.0

Interpretation

RESULT (AU/mL)	REMARKS	INTERPRETATION
≥ 15.0	Positive	Indicates presence of SARS-COV-2 IgG Antibodies
≥12.0 - < 15.0	Equivocal	Repeat testing after 1-2 weeks is recommended
< 12.0	Negative	Indicates absence of SARS-COV-2 IgG Antibodies

Note


1. Positive test indicates exposure to SARS-CoV-2. ICMR does not recommend this test for diagnostic purposes. It is only for Serosurveillance.
2. Negative test indicates absence of SARS-COV-2 IgG antibodies hence immunity status cannot be established.
3. False positive results may occur due to co-infection with other pathogens like Non SARS-CoV-2 Coronavirus strains such as Corona virus HKU1, NL63, OC43 or 229E.
4. False negative reaction may occur early in the course of the disease or due to variations in viral genes or in immunocompromised patients.
5. Test conducted on serum.

Usage

- Epidemiology/Prevalence studies &/or to facilitate contact tracing
- Identification of potential convalescent plasma donors



Dr Ritu Nayar
MD, Microbiology
Deputy HOD - Microbiology & Serology
NRL - Dr Lal PathLabs Ltd



Dr Shalabh Malik
MD, Microbiology
National Head - Microbiology &
Serology
NRL - Dr Lal PathLabs Ltd

-----End of report -----

* Not in NABL scope



A55 - TANU DIAGNOSTIC CENTRE
A-14 , AGARSEN PARK, GOVINDPURI , MODI
NAGAR , U.P.-201201
MODINAGAR

Name	:	Mr. ATUL SHARMA	Collected	:	19/5/2021 1:22:00PM		
Lab No.	:	306854126	Age: 43 Years	Gender: Male	Received	:	19/5/2021 1:48:17PM
					Reported	:	20/5/2021 11:22:22AM
A/c Status	:	P	Ref By :	SELF	Report Status	:	Final

Test Name	Results	Units	Bio. Ref. Interval
<u>IMPORTANT INSTRUCTIONS</u>			
*Test results released pertain to the specimen submitted.*All test results are dependent on the quality of the sample received by the Laboratory. *Laboratory investigations are only a tool to facilitate in arriving at a diagnosis and should be clinically correlated by the Referring Physician.*Sample repeats are accepted on request of Referring Physician within 7 days post reporting.*Report delivery may be delayed due to unforeseen circumstances. Inconvenience is regretted.*Certain tests may require further testing at additional cost for derivation of exact value. Kindly submit request within 72 hours post reporting.*Test results may show interlaboratory variations.*The Courts/Forum at Delhi shall have exclusive jurisdiction in all disputes/claims concerning the test(s) & or results of test(s).*Test results are not valid for medico legal purposes. *Contact customer care Tel No. +91-11-39885050 for all queries related to test results. (#) Sample drawn from outside source.			

* Not in NABL scope

