

# A SURVEY ON OPINION MINING APPROACHES

<sup>1</sup>Bijal Shah, <sup>2</sup>Nikita P. Desai

<sup>1,2</sup> Information Technology Department, Dharmsinh Desai University,  
Nadiad, Gujarat, (India).

## ABSTRACT

*Opinion mining tasks involve opinion word identification, classification (positive, negative or neutral) and identifying strength of opinion (positive (strong or weak), negative (strong or weak)), target identification on which opinion is given, opinion source identification and opinion summarization. Hence, Opinion Mining tasks require techniques from the field of natural language processing, information retrieval (IR), and text mining. The main concern is how to automatically identify opinion components from unstructured text and summarize the opinion about an entity from a huge volume of unstructured text.*

*This study presents a systematic literature survey that contains a comprehensive overview of different approaches of opinion mining. The aim of this study is to provide researchers and students access to the works in opinion mining as they frame new ideas and further develop the practice.*

**Keywords:** *Aspect Mining, Opinion Classification, Opinion Mining, Opinion Polarity, Opinion Word*

## I. INTRODUCTION

Opinion Mining needs use of natural language processing tasks for tracking the mood of the public about a particular product or topic. Opinion mining, which involves in building a system to collect and examine and categorize opinions about the product made in blog posts, comments, reviews or tweets. [31]

Opinion mining is the computational treatment of people's opinions, emotions and attitudes toward entities, individuals, events, topics and their attributes. The opinion mining task is technically very challenging and practically very useful. For example, businesses always want to know public or consumer opinions about their products and services. People also want to know the opinions of existing customers before they use a service or purchase a product.


An opinion is the private state of an individual and it represents the individual's ideas, beliefs, judgments and evaluations about a specific subject, topic or item.

Opinion Mining is a procedure used to extract opinion from text. "opinion mining is a recent discipline at the crossroads of information retrieval, text mining and computational linguistics which tries to detect the opinions expressed in natural language texts" [22].

An opinion has three main components, i.e., the opinion holder or source of the opinion, the object (aspect or entity) about which the opinion is expressed and the evaluation, view or appraisal, that is, opinion. For opinion identification, all of these components are important.

Opinion mining tasks involve opinion identification, opinion classification (positive, negative, and neutral), opinion target identification, opinion source identification and opinion summarization. Hence, opinion mining tasks require techniques from the field of natural language processing, information retrieval (IR), and text mining.

## II. OPINION MINING TASKS



**Figure -1 Aspect Based Opinion Mining**

### 2.1 Preprocessing

Preprocessing the text is the process of cleaning text and preparing the text for classification. User-generated reviews require preprocessing to remove noise before the mining process can be performed. This is because these reviews are usually written by non experts and frequently contain mistakes in spelling, grammar, use of non dictionary words such as abbreviations or acronyms of common terms (domain specific), punctuation mistakes, incorrect capitalization, and so forth. The preprocessing involves several steps: spelling check, online text cleaning, white space removal, expanding abbreviation, stemming, stop words removal, tokenization, and sentence boundary detection.

### 2.2 Aspect Identification

Mining aspect and opinion of products or services commented by customers. Aspects are also called features that are features of some entity or service. In aspect extraction, product or service features (aspects) are extracted from each sentence. Aspects can be frequent or infrequent. Frequent aspects are those which are commented by many people which are most talked about. Infrequent Aspects are not talked by many people. In review, features may be mentioned explicit or implicit. Features which are mentioned in a sentence directly are called as explicit features and features which are not mentioned directly are called implicit features.

For example, "Hotel room was very clean and spacious"

In this sentence reviewer has mentioned about room directly. So it is explicit feature. It is easy to extract such features. Now consider following sentence,

“The elevator was slow”

In this sentence reviewer is talking about speed of elevator but it is not mentioned directly in the sentence. So here speed is implicit feature. It is difficult to understand and extract such features from sentence.

### **2.3 Opinion word extraction**

In opinion word extraction, opinion words mentioned on its related aspect or entity or target are identified. If a sentence contains one or more opinion words and its related targets then the sentence is called an opinion sentence. Opinion words are generally identified by adjectives.

#### **2.3.1 Opinion Word Polarity Identification**

In opinion word polarity identification, semantic orientation or polarity (positive or negative) of each opinion word is identified.

### **2.4 Opinion Classification**

The Classification task aims to determine the opinions' polarity (positive, negative or neutral) regarding the features being commented on.

Identifying opinion words in each review and deciding whether each opinion word is positive, negative or neutral.

An opinion is simply a positive or negative view, attitude, emotion or appraisal about an entity or an aspect of the entity from an opinion holder. Positive, negative and neutral are called opinion orientations. Other names for opinion orientation are sentiment orientation, semantic orientation, or polarity. In practice, neutral is often interpreted as no opinion.

It also aims to determine the strength and polarity of the opinions regarding the product's features. Opinion strength may be inferred from adjective choice (e.g., “disappointing” is milder than “awful”) or from qualifiers (e.g., “very good” is stronger than “good”).

## **III DIFFERENT APPROACHES FOR OPINION MINING**

### **3.1 Opinion Mining using Machine Learning Approach**

Pang et al. [23] tested Naïve Bayes Classifiers, Maximum Entropy, and Support Vector Machines (SVM) to see which would best classify the movie reviews in an earlier 1400 text version of the Polarity Dataset. The answer was fairly conclusive: SVMs outperformed the other two algorithms with most combinations of features, and had the highest scores overall. Based on this result, most of the sentiment analysis research based on machine learning has made use of SVMs. Pang et al. [23] also tested a number of feature types like (one-word) unigrams and (two-word) bigrams, with or without appended part of speech tags or indicators of their position in the text. The optimal SVM classifier did best with only unigram features.

Dave et al. [6] examines product reviews from C|net for classification. The studied corpus consists of reviews from 4 largest categories of C|net (in total, 448 reviews). A review is mentioned as Positive if it is rated in C|net

with three or more stars, and as negative for one and two stars. Before aspect extraction, reviews' texts get preprocessed. Preprocessing contains POS tagging, negation words like not and never are identified. The approach also extracts N-grams (unigrams, bigrams and trigrams). The SVM classifier is used for classification and yields the accuracy value of 85.8% using ten-fold cross-validation without stratification. Dave et al. [6] classifier did much better when bigram and trigram features were used instead of Unigrams.

Using the Appraisal Theory of Martin and White (2005), Whitelaw et al. (2005)[33] used features that not only took into account the Orientation (positive or negative) of adjectives in the text, but also their Attitude Type (appraisal, judgment, or affect) and Force (low, neutral, or high). They tested a number of combinations, and got the best results (better than all preceding studies) from a SVM trained on a bag of words plus a set of features that reflected the frequency of "appraisal groups" (adjectives and their modifiers) grouped according to their Attitude Type and Orientation. Not surprisingly, appreciation was the Attitude Type most relevant for predicting sentiment in the movie review corpus. The inclusion of Force features, however, degraded performance.

Esuli and Sebastiani [8] note that this task can be divided into three interrelated subtasks: determining whether a certain unit of language is subjective, determining the orientation or polarity of subjective language, and determining the strength of that orientation. Esuli and Sebastiani [8] use machine learning techniques to classify individual words as positive or negative using their WordNet glosses. The first step is to derive a set of features (positive and negative words) with enough coverage to train a classifier. This is accomplished using two small sets of seed words (e.g., good, nice, etc. and bad, mean, etc., from (Turney and Littman, [27]) that are expanded iteratively using the WordNet synonym, antonym, hyponym, and hypernym relations. When the set of terms was sufficiently large, the glosses and sample sentences were used to train the classifier. The hypernym relation proved too general, and the hyponym relation was only somewhat helpful; the best results were achieved when the synonyms and antonyms of adjectives alone were used to expand the term sets. Having separate features for negated items (e.g., not good) also improved accuracy as compared to the GI lexicon.

Kennedy and Inkpen (2006) [16] used the entire Polarity dataset (2000 reviews) for both semantic and machine learning testing. They tested a number of combinations of options, finding that the use of contextual valence shifters (Polanyi and Zaenen, 2006) boosted the performance of both models (particularly the semantic model), and that, while the semantic model was very sensitive to the dictionary chosen (adding Google PMI dictionaries decreased performance, for instance), the SVM classifier always did best with lemma unigrams and bigrams; limiting unigrams to the ones in previously existing polarity dictionaries (e.g., the GI) was counterproductive. Overall, the SVM classifier outperformed the term-counting (semantic) method by a large margin: the best term-counting model had an accuracy of only 67.8%, as compared to 85.9% for the SVM classifier. A hybrid SVM classifier trained on the output from each model (comparable to Mullen and Collier 2004) did the best of all, reaching 86.2% accuracy. The authors note that this last performance increase was possible in part because the classifiers seems to make different mistakes; the term-counting model is far better at classifying positive reviews correctly, while the SVM classifier does better on average with negative reviews.

Li et al. [17] proposed a machine learning approach to incorporate polarity shifting information into document level sentiment classification. Pang et al. [19] proposed a word between a negation trigger word/phrase. Li et al. used binary classifier to divide sentences in a document into two parts: sentences which contain polarity shifting structure and sentences without polarity shifting structure. They first proposed a machine learning based classifier to detect polarity shifting and then apply two classifier combination methods to perform polarity classification.

Wilson, Wiebe and Hwa [34] used Supervised Machine Learning techniques to classification of intensity of opinions and emotions being expressed in text. Intensity classification detects the absence of opinion and detects strength of opinion. Authors presented promising results in identifying opinions in deeply nested clauses and classifying their intensities.

### 3.2 Opinion Mining using unsupervised Approach

Turney [30], which not only attempts to classify full texts, but eschews a unigram (single word) approach in favor of two-word bigrams, extracted according to their part of speech (i.e., adjective/noun pairs, adverb/verb pairs, etc.). The SO values of these bigrams are derived by calculating their Pointwise Mutual Information (PMI).

Another unsupervised approach is the lexicon based method, which uses a dictionary of sentiment words and phrases with their associated orientations and strength, and incorporates intensification and negation to compute a sentiment score for each document (Taboada et al., [29]).

Polanyi and Zaenen [24] focused on how context affects the polarity of a valence (polar) term. They assumed a numerical +2/-2 value (a valence) on positive/negative words in the lexicon (including adjectives, nouns, verbs, and adverbs), and then suggested how this numerical value should change based on the surrounding context. Negation is the case of a contextual valence shifter; the authors proposed that the presence of a negating word (such as not) should switch the sign on the valence, +2 for clever becomes -2 for not clever. The presence of an intensifier (very) or a downtoner (somewhat) affects the valence by increasing or decreasing the absolute value; if good is +2, somewhat good is +1, whereas bad (-2) becomes very bad (-3). Valence shifters, for instance, are probably less useful to an SVM classifier because they require an increase in the number of features, with each feature requiring further independent examples.

### 3.3 Subjectivity Classification

Subjectivity classification classifies sentences into two classes, subjective and objective (Wiebe, Bruce and O'Hara, 1999). An objective sentence expresses some factual information, while a subjective sentence usually gives personal views and opinions which might not be fact.

In (Wiebe, 2000), Wiebe proposed an unsupervised method for subjectivity classification, which simply used the presence of subjective expressions in a sentence to determine the subjectivity of a sentence. Since there was not a complete set of such expressions, it provided some seeds and then used distributional similarity (Lin,

1998) to find similar words, which were also likely to be subjectivity indicators. However, words found this way had low precision and high recall.

In (Pang and Lee, 2004), a mincut-based algorithm was proposed to classify each sentence as being subjective or objective. The algorithm works on a sentence graph of an opinion document, e.g., a review. The graph is first built based on local labeling consistencies (which produces an association score of two sentences) and individual sentence subjectivity score computed based on the probability produced by a traditional classification method (which produces a score for each sentence). Local labeling consistency means that sentences close to each other are more likely to have the same class label (subjective or objective). The mincut approach is able to improve individual sentence based subjectivity classification because of the local labeling consistencies. The purpose of this work was actually to remove objective sentences from reviews to improve document level sentiment classification.

Wilson, Wiebe and Hwa [34] pointed out that a single sentence may contain both subjective and objective clauses. It is useful to pinpoint such clauses. It is also useful to identify the strength of subjectivity. A study of automatic subjectivity classification was presented to classify clauses of a sentence by the strength of subjectivity expressed in individual clauses, down to four levels deep (neutral, low, medium, and high). Neutral indicates the absence of subjectivity. Strength classification thus subsumes the task of classifying a sentence as subjective or objective. The authors used supervised learning. Their features included subjectivity indicating words and phrases, and syntactic clues generated from the dependency parse tree.

Benamara et al. (2011)[3] performed subjectivity classification with four classes, S, OO, O and SN, where S means subjective and evaluative (their sentiment can be positive or negative), OO means positive or negative opinion implied in an objective sentence or sentence segment, O means objective with no opinion, and SN means subjective but non-evaluative (no positive or negative sentiment).

### **3.4 Aspect Extraction Approaches**

Lein Zhang and Bing Liu [35] had focused on mining features of an entity. They used unsupervised method “Double Propagation” for feature extraction. It mainly extracts noun features. Dependency Parser was used to find relations between opinion words and features.

Double propagation works well for medium sized corpora. For large and small corpora, it can result in low precision and low recall. Then author introduced “part whole” and “no” patterns to increase the recall. And feature ranking applied to improve precision.

Jorge Carrilo and Laura Plaza has focused on measuring the polarity and strength of opinions. Their approach discovers feature automatically from reviews using unsupervised model. The set of discovered features are small

and meaningful enough for the user. And lastly, system estimates the weight of each product feature in the overall user opinion to predict a more precise rating.

Hu and Liu [12] proposed a technique based on association rule mining to extract product features. The idea can be summarized briefly by two points: (1) finding frequent nouns and noun phrases as frequent aspects. (2) Using relations between aspects and opinion words to identify infrequent aspects. The idea is as follows: The same opinion word might be used to describe or modify different aspects. Opinion words that modify frequent aspects may modify infrequent aspects, and thus can be used to extract infrequent aspects.

Jakob and Gurevych (2010) used CRF. They trained CRF on review sentences from different domains for a more domain independent extraction. They also used domain independent features e.g. tokens, POS tag, syntactic dependency, word distance, and opinion sentences.

Li et al [17] used and integrated two CRF variations, i.e., Skip-CRF and Tree-CRF, to extract aspects and opinions. Original CRF, which can only use word sequences in learning, Skip-CRF and Tree-CRF enable CRF to exploit structure features. However, a limitation of CRF is that it only captures local patterns rather than long range patterns. It has been shown in (Qiu et al., [25]) that many feature and opinion word pairs have long range dependencies. Experimental results in (Qiu et al., [25]) indicate that CRF does not perform well.

### **3.5 Opinion Mining Using Fuzzy Logic**

Mita Dalal and Mukesh Zaveri (2014) [5] used fuzzy functions for classification of online user reviews. They proposed an approach to perform fine-grained sentiment classification of online product reviews by incorporating the effect of fuzzy linguistic hedges on opinion descriptors.

Animesh Kar and Deba Mandal [15] introduced fuzzy opinion miner (FOM) a fuzzy approximation system to determine the strength of opinion about product in reviews. FOM outputs a set of opinion phrases which are ranked based on strength and the overall intensity of the product.

Pratik N. Kalamkar and Anupama G. Phakatkar [14] used fuzzy logic algorithmic approach to classify opinion words into different category. Their Proposed approach used conditional random field for aspect extraction. Classification of opinion related to aspect word is done using fuzzy logic algorithmic approach. Ranks Entities based on desired aspect of entities. Their Fuzzy Logic system follows steps like fuzzification and defuzzification. Fuzzification is the process where special degree is associated with each opinion word. Finally, fuzzy results are converted into crisp values using Memdani's defuzzification function.

Nadali and Kadir [27] used fuzzy Logic for classification of reviews. At first fuzzification of inputs is done. Then membership function is defined for finding membership value for each input. Defuzzification is used to get final output.

Shaidah Jusoh and Hejab M. Alfawareh [13] used approach which evaluate sentiment word and sentiment word modifier. Their opinion fuzzy set contains only two types of linguistic variables first is sentiment word and second is sentiment word modifier. Lexicon of sentiment word of positive sentiment, lexicon of negative sentiment word and lexicon of sentiment word modifier are developed. Each word in the list of token are matched with developed lexicons. If they are matched then sentiment word has been recognized and then word in token list is labeled as SenWord Assigns Fuzzy values to fuzzy sets opinion. Fuzzy set operation is conducted on the opinion fuzzy sets to determine sentiment either it is positive or neutral.

#### **IV RESEARCH ISSUES AND CHALLENGES**

Despite number of research efforts, the current opinion mining studies and applications still have limitations and margins for improvement. Accordingly, opinion mining suffers from a number of problems, such as accuracy, scalability, quality, standard of data, natural language understanding comprehension, among others.

Some of the major challenges related to natural language processing, such as context dependency, semantic relatedness and ambiguity, have made opinion mining difficult. As practical applications require high accuracy, some of the work must be performed manually because of the challenging problems with the natural language processing.

Most of the existing research regarding opinion mining is domain dependent, which limits the scope generalization of the information. Machine-learning systems, which are domain dependent, require that data be manually labeled; it is very a difficult task to manage. Hence, there is need for generalized domain independent for the automatic identification and classification of opinion components.

One of the important problems of opinion mining is the identification of opinion targets from unstructured text. The opinion target is defined as the entity or features of an entity about which an opinion is expressed.

Another problem is domain dependency, which can be a problem when the target features that are relevant to a specific domain take on different meanings or interpretations when in a different domain. Accordingly, creating a knowledge base for each domain with relevant features and attributes is a difficult but real concern. Hence, generalized procedures are used to identify and disregard the domain dependency of features (Qiu et al., 2009).

#### **V CONCLUSION**

This paper discusses about techniques used by other authors for opinion mining. Opinion mining is the mining of opinions from the text. It can be of document level, sentence level or aspect level. There are different approaches for mining opinions from the text. Supervised techniques need training and testing data. It takes more time in labeling data. Unsupervised Techniques learn from examples. Labeling data is not needed in unsupervised techniques.

**REFERENCES**

- [1] Al-maimani, maqbool, naomie salim, and Ahmed m. al-namani. "Semantic and fuzzy aspect of opinion mining." *Journal of Theoretical and Applied Information Technology* 63.2 (2014).
- [2] Arora, Piyush. *Sentiment Analysis for Hindi Language*. Diss. International Institute of Information Technology Hyderabad, 2013.
- [3] Benamara, Farah, Baptiste Chardon, Yannick Mathieu, and Vladimir Popescu. *Towards Context-Based Subjectivity Analysis*. in *Proceedings of the 5th International Joint Conference on Natural Language Processing (IJCNLP-2011)*. 2011.
- [4] Brooke, Julian. *A semantic approach to automated text sentiment analysis*. Diss. Simon Fraser University, 2009.
- [5] Dalal, Mita K., and Mukesh A. Zaveri. "Opinion Mining from Online User Reviews Using Fuzzy Linguistic Hedges." *Applied Computational Intelligence and Soft Computing* 2014 (2014).
- [6] Dave, Kushal, Lawrence, Steve, and Pennock, David M. 2003. *Mining the peanut gallery: Opinion extraction and semantic classification of product reviews*. In *Proceedings of the Twelfth International World Wide Web Conference (WWW 2003)*.
- [7] De Albornoz, Jorge Carrillo, et al. "A joint model of feature mining and sentiment analysis for product review rating." *Advances in information retrieval*. Springer Berlin Heidelberg, 2011. 55-66.
- [8] Esuli, Andrea and Fabrizio Sebastiani. *Determining term subjectivity and term orientation for opinion mining*. in *Proceedings of Conf. of the European Chapter of the Association for Computational Linguistics (EACL-2006)*. 2006.
- [9] Guohong Fu, Xin Wang (2010), 'Chinese Sentence-Level Sentiment Classification Based on Fuzzy Sets', *Coling 2010: Poster Volume*, Pages 312-319, Beijing, August 2010.
- [10] Gupta, Narendra, Giuseppe Di Fabbri, and Patrick Haffner. "Capturing the stars: predicting ratings for service and product reviews." *Proceedings of the NAACL HLT 2010 Workshop on Semantic Search*. Association for Computational Linguistics, 2010.
- [11] Haddi, Emma, Xiaohui Liu, and Yong Shi. "The role of text pre-processing in sentiment analysis." *Procedia Computer Science* 17 (2013): 26-32.
- [12] Hu, Minqing, and Bing Liu. "Mining and summarizing customer reviews." *Proceedings of the tenth ACM SIGKDD international conference on Knowledge discovery and data mining*. ACM, 2004.
- [13] Jusoh, Shaidah, and Hejab M. Alfawareh. "Applying Information Extraction and Fuzzy Sets for Opinion Mining."
- [14] Kalamkar, Pratik N., and Anupama G. Phakatkar. "Review Based Entity Ranking using Fuzzy Logic Algorithmic Approach: Analysis."
- [15] Kar, Animesh, and Deba Prasad Mandal. "Finding opinion strength using fuzzy logic on web reviews." *International Journal of Engineering and Industries* 2.1 (2011): 37-43.
- [16] Kennedy, Alistair, and Diana Inkpen. - "Sentiment classification of movie reviews using contextual valence shifters." *Computational Intelligence* 22.2 (2006): 110-125.

- [17] Li, Shoushan, et al. "Sentiment classification and polarity shifting." Proceedings of the 23rd International Conference on Computational Linguistics. Association for Computational Linguistics, 2010.
- [18] Liu, Bing. "Sentiment analysis and opinion mining." Synthesis Lectures on Human Language Technologies 5.1 (2012): 1-167.
- [19] Mattosinho, Felipe Jordão Almeida Prado. "Mining Product Opinions and Reviews on the Web." (2010).
- [20] Momtazi, Saeedeh. "Fine-grained German Sentiment Analysis on Social Media." LREC. 2012.
- [21] Nilesh M. Shelke, Shrinivas Deshpande, Vilas Thakre (2012), Survey of techniques for opinion mining, International Journal of Computer Applications, 57, 13, pp 0975-8887.
- [22] Pang B. And Lee L. (2008), "Using very simple statistics for review search: An exploration," in Proceedings of the International Conference on Computational Linguistics (COLING), (Poster paper).
- [23] Pang, Bo, Lee, Lillian, and Vaithyanathan, Shivakumar. 2002. Thumbs up? Sentiment classification using Machine learning techniques. In Proceedings of Conference on Empirical Methods in NLP, 79-86.
- [24] Polanyi, Livia, and Annie Zaenen. "Contextual valence shifters." Computing attitude and affect in text: Theory and applications. Springer Netherlands, 2006. 1-10.
- [25] Qiu, Guang, et al. "Expanding Domain Sentiment Lexicon through Double Propagation." IJCAI. Vol. 9. 2009.
- [26] Qu, Lizhen, Georgiana Ifrim, and Gerhard Weikum. "The bag-of-opinions method for review rating prediction from sparse text patterns." Proceedings of the 23rd International Conference on Computational Linguistics. Association for Computational Linguistics, 2010.
- [27] Samaneh N., Masrah A. Murad, Rabiah Abdul Kadir (2010), 'Sentiment Classification of Customer Reviews Based on Fuzzy Logic', Information Technology (ITSim), 2010 International Symposium, pp. 1037-1040.
- [28] T. Wilson, J. Wiebe, and P. Hoffmann. Recognizing contextual polarity in phrase-level sentiment analysis. In Proc. EMNLP, 2005.
- [29] Taboada, Maite, et al. "Lexicon-based methods for sentiment analysis." Computational linguistics 37.2 (2011): 267-307.
- [30] Turney, Peter D. "Thumbs up or thumbs down? Semantic orientation applied to unsupervised classification of reviews." Proceedings of the 40th annual meeting on association for computational linguistics. Association for Computational Linguistics, 2002.
- [31] Vinodhini, G., and R. M. Chandrasekaran. "Sentiment analysis and opinion mining: a survey." International Journal 2.6 (2012).
- [32] VO, Anh-Dung, and Cheol-Young Ock. "Sentiment classification: a combination of PMI, sentiwordnet and fuzzy function." Computational Collective Intelligence. Technologies and Applications. Springer Berlin Heidelberg, 2012. 373-382.

- [33] Whitelaw, Casey, Navendu Garg, and Shlomo Argamon. "Using appraisal groups for sentiment analysis." Proceedings of the 14th ACM international conference on Information and knowledge management. ACM, 2005.
- [34] Wilson, Theresa, Janyce Wiebe, and Rebecca Hwa. "Just how mad are you? Finding strong and weak opinion clauses." *aaai*. Vol. 4. 2004.
- [35] Zhang, Lei, et al. "Extracting and ranking product features in opinion documents." Proceedings of the 23rd international conference on computational linguistics: Posters. Association for Computational Linguistics, 2010.
- [36] Zhang, Wen, Taketoshi Yoshida, and Xijin Tang. "Text classification using multi-word features." Systems, Man and Cybernetics, 2007. ISIC. IEEE International Conference on. IEEE, 2007.