



SOLAR CELL CONCENTRATORS FOR HARNESSING ELECTRICAL ENERGY

Nahid Akhtar¹, Manish Kumar Jain², Neeru Goyal³, Prashant Kumar Tayal⁴

¹Faculty, Department of Mechanical Engineering, L.I.E.T, Alwar(Raj), (India)

²Faculty, Department of Electrical Engineering, Govt.Polytechnic College, AL Alwar(Raj), (India)

³Faculty, Department of Electrical Engineering, Sriganaganagar(Raj), (India)

⁴Faculty, Department of Electricalical Engineering, L.I.E.T, Alwar (Raj), (India)

ABSTRACT

The efficiency of solar cells has increased from 4-5 percent, when it was discovered in 1954, to 38-40 percent due to the use of solar cell concentrators. These concentrators could bring down the total cost of solar cells, thus making solar technology cheaper and more affordable. The Sun has been producing energy for billions of years. Solar energy, which is a renewable source of energy, is the solar radiation that reaches the Earth. The Earth receives 2.9X10¹⁵ kW of energy every day in the form of electromagnetic radiation, which is about one hundred times the total energy consumption of the world in a year. The solar energy falling on earth has been quantified as 'Sun' and is approximately equal to 100 watts/ft² or 1000 watts/m². It can be converted to electricity by means of solar or photovoltaic (PV) cells.

Keywords: *Electromagnetic, Photovoltaic, Renewable Etc.*

INTRODUCTION

➤ Photo Voltaics

Photovoltaic (PV) systems convert light energy into electricity. The term 'photo' originates from the Greek 'phos' which means 'light' and 'volt' comes from Alessandro Volta (1745-1827), a pioneer in the study of electricity. 'Photo-voltaics', then, could literally mean 'light-electricity'. French physicist Edmond Becquerel first described the PV effect in 1839, but it remained a curiosity for the next three quarters of a century. Becquerel found that certain materials would produce small amounts of electric current when exposed to light. The effect was first studied in solids, such as selenium, by Heinrich Hertz in the 1870s. Soon afterward, selenium PV cells were used to convert light into electricity at 1 to 2 percent efficiency. As a result, selenium was quickly adopted in the emerging field of photography for use in light-measuring devices. Major steps toward commercializing PV were taken in the 1940s

and early 1950s, when the Czochralski process was developed for producing highly pure crystalline silicon. In 1954, scientists at Bell Laboratories depended on the Czochralski process to develop the first crystalline silicon PV cell, which had an efficiency of 4 percent.




Figure.1: Graphical Study between Performance and Cost of Solar Cells

➤ Solar Cells

A solar cell is a device that directly converts light energy into electrical energy through the use of PV. The development of solar cell technology begins with the 1839 research of French physicist Antoine-César Becquerel. These early solar cells, however, still had energy-conversion efficiencies of less than 1 per cent. This impasse was finally overcome with the development of the silicon solar cell by Russell Ohl in 1941. Thirteen years later three other American researchers, G.L. Pearson, Daryl Chapin and Calvin Fuller, demonstrated a silicon solar cell capable of 6 per cent energy conversion efficiency when used in direct sunlight.




Figure.2: Solar Radiation Concentration comparison between old and Advanced Solar Cells

➤ **Solar Concentrators**

A concentrator captures a large area of solar energy and focuses it onto a small area where the solar cells are mounted. The ratio of the two areas is called concentration ratio. A typical solar concentrator unit consists of a lens or mirrors to focus the light, a tracking system to collect the solar energy from dusk to dawn and a cooling mechanism to dissipate excess heat produced by concentrated sunlight on the solar cells. This process leads to greater power falling on the area of focus thereby increasing efficiency of conversion.




Figure.3: Comparison between Solar PV v/s CPV Efficiency v/s Field Size

II. DEVELOPMENT OF SOLAR CONCENTRATORS

The solar cell has come a long way, from initial efficiency of 4 to 5 percent in 1954 when it was discovered, to the developments of solar cell concentrators with an efficiency of 38-40 percent, which was made possible through the development of different types of concentrators discussed below:

➤ **Point Focus Fresnel lens Solar Cell Concentrator**

The most prominent optical lens is the Fresnel lens. It was developed in 1822 for use in light houses, and can achieve high concentration ratios. Newer lenses such as aspheric lenses; and transmission, total internal reflection, refraction (TIR) lenses, having a concentration ratio of over 300 while being only 2 cm thick, have been found to be quite useful in solar concentrators.




Figure.4: Fresnel's Lens Solar Cell Concentrator

➤ **line Focus Parabolic Reflective Trough Concentrator**

The Australian National University (ANU) has developed a 20 kW PV trough concentrator with solar cells mounted on the under surface. The system comprised foundations, mirrors and support and aluminium passive heat sink-receivers. The above 20 kW solar concentrator featured two-axis continuous tracking. All trough modules are mechanically linked so that one motor actuates the tilt and the other actuates the roll. A time based, open loop central processing controller via a driver interface and position feedback system controlled both the motors. This allowed the concentrator to take full advantage of the daylight. The concentrator performed very well with an over system efficiency of 13 percent while the cell efficiency was reported to be 22 percent.



Figure.5: line Focus Parabolic Reflective Trough Concentrator

➤ **Euclides Photovoltaic Concentrator**

The world's largest PV concentration grid-connected power plant, the EUCLIDESTM THERMI plant has been installed by BP Solarex in the south of Tenerife in Spain. The plant is rated at 480 kWp and is composed of 14 parallel arrays each 84 meters long. Each array carries 138 modules and 140 mirrors. The modules are series connected in each array. The mirror technology is based on metallic reflective sheets shaped with ribs to the parabolic profile. The modules are cooled with a passive heat sink. Two contiguous arrays are connected in parallel to one inverter of 60 kVA. The output voltage at standard operating conditions is 750 Volts. The concentrating optics uses mirrors instead of Fresnel lenses, which were used previously in all PV concentration developments. The tracking system is one axis and horizontal since it is cheaper than the two-axes tracking systems. The concentrating schemes present a more constant output than the flat panels. The system is cost effective and thus might present some advantage in the value of the electricity produced.




Figure.6:Euclides Photovoltaic Concentrator

➤ **Parabolic Reflective Dish Concentrator**

In the recent years, two more configurations are possible for solar concentrators. The Solar Research Corporation (SRC) has developed a reflective dish concentrator. Solar Systems Pvt. Ltd., an affiliated company of The SRC has installed two such concentrator systems in Australia made up of parabolic dishes, each producing 22 kW. One such system with 10 parabolic dishes will be installed in the Anangu Pitjantjatjara Lands (South Australia). The system is powered by a 130 m² parabolic dish and can generate approximately 20 kW of AC power. The other system with 42 parabolic dishes will be installed at a 20-hectare solar farm at Broken Hill.



Figure.7:Parabolic Reflective Dish Concentrator

➤ **Dense Packed Array Photovoltaic Concentrator by ‘Amonix’**

Relatively low-concentration systems were first built using individual cells, each with its own concentrator optics. But no further large-scale projects were undertaken until recently. ‘Amonix’ has designed and installed a large-scale system using individual cells at a very high concentration (260X). The most important advantages of this type of individual-cell concentrator system are: (i) Most of the optics can be controlled at the time of manufacture so that fewer items need to be accurately aligned in the field. (ii) No fail safe provisions need to be included to prevent concentrated flux from causing damage in the event of erroneous sun tracking. (iii) The modules are sealed, flat panels, rendering cleaning a comparatively easy task.(iv) The cells are passively cooled. Thus, there are no fluids to handle and no fail safe provisions need to be incorporated to prevent damage caused by loss-of-coolant events.



Figure.8:Amonix Dense Packed Array.

➤ Dense Packed Array Photovoltaic Concentrator

Spectrolab USA designed, fabricated and tested two dense packed modules using high efficiency multi-junction cells. Test results were very encouraging with cell area based efficiencies over 25 percent. Further improvements in the new designs are possible for higher efficiency.




Figure.9: Spectrolab dense-packer module

➤ Photovoltaic Cavity Converter

A concentrating PV module is provided which gives a concentration in the range of about 500 to over 1,000 suns and a power range of a few kW to 50 kW. A plurality of such modules may be combined to form a power plant capable of generating over several hundred megawatts. The concentrating photovoltaic module is based on a Photovoltaic Cavity Converter (PVC) as an enabling technology for very high solar-to electricity conversions. The use of a cavity containing a plurality of single junction solar cells of different energy band gaps and the simultaneous spectral splitting of the solar spectrum employs a lateral geometry in the spherical cavity (where the cell strings made of the single junction cells operate next to each other without mutual interference). The purpose of the cavity with a small aperture for the pre-focused solar radiation is to confine (trap) the photons so that they can be recycled effectively and used by the proper cells.




Figure.10:Photovoltaic Cavity Converter

III. MULTI-JUNCTION CELLS FOR HIGHER EFFICIENCY

Non-silicon cells have not achieved the same degree of efficiency as Si cells. Emcore, USA has developed multi-junction solar cells using GaAs and GaSb . Multi-junction solar cell technology employs three solar cells in series, with each cell tuned to absorb a different color of light. This technique converts more sunlight to electricity and thus the multi-junction cells with x1000 concentration thereby can operate at much higher efficiency of the order of 38 percent as compared to 28 percent for the single junction cells.




Figure.11:Multi-Junction Cells

IV. MULTI-JUNCTION SOLAR CELL AND PANELS FOR SPACE COMMUNICATION

Emcore, an USA based company reputed with very high efficiency solar cell technology in terrestrial applications, is claiming a big success in solar power for space applications. With an overall efficiency of 28.5 percent, the multi-junction technology has completely changed the mode of the solar power generation in space applications.

V. RECENT DEVELOPMENTS IN CONCENTRATOR AND SPACE APPLICATIONS OF HIGH-EFFICIENCY SOLAR CELL

The two-junction (cascade) Ga0.5In0.5P/GaAs cell was invented in November 1984 at the National Renewable Energy Laboratory (NREL). Over the next few years, the growth and basic properties of Ga0.5In0.5P were studied. As the purity of the source materials was improved and the device optimized, the efficiencies climbed: 4 per cent in 1985, 10 percent in 1987, 21.8 per cent in 1988, and 27.3 per cent in 1990. When the two-junction efficiencies passed the efficiency of single junction GaAs, the cascade cell became attractive for space applications. The cascade cells provide a higher efficiency, lower temperature coefficient, improved radiation resistance and reduced series-resistance losses.




Figure .12: Study of Concentrator and Space applications of High-Efficiency Solar Cell

VI. ADVANTAGES AND DRAWBACKS

Using solar energy has many advantages as well as disadvantages. Solar concentrators increase cell efficiency under concentrated light. The increase in efficiency depends largely on the cell design and material used. Another advantage of the concentrator is that it can use small individual cells, because it is harder to produce large-area, high efficiency cells than it is to produce smaller-area cells. There are, on the other hand, several drawbacks to using concentrators. The concentrating optics is significantly more expensive than the simple covers needed for flat-plate modules and most concentrators must track the sun throughout the day and year to be effective. Thus, higher concentration ratios mean using not only expensive tracking mechanisms but also more precise controls than flat-plate systems with stationary structures. Also, a large area is needed to put up the solar plants.

VII. CONCLUSION

Solar energy has vast potential, but its contribution to the world's energy market is still very limited. Solar concentrators could bring down the total cost of the solar cells, thus making the solar technology cheaper and more affordable. At the same time it does not compromise the overall performance of the solar technology. The technology is yet not matured enough for economically harnessing solar power on a large scale. It is still capital intensive and lacks long term reliability. For about a decade, the developmental of solar concentrators in many advanced countries has been in full swing. If the prototypes with more than 40 per cent efficiency perform well, solar plants which are stand-alone or with co-generation medium will soon become a reality.

REFERENCES

- [1] 500x concentration ratio is claimed at Amonix website.
- [2] <http://www.iea.org> (2014). "Technology Roadmap: Solar Photovoltaic Energy" (PDF). IEA. Archived from the original on 7 October 2014. Retrieved 7 October 2014.
- [3] Fraunhofer ISE and NREL (January 2015). "Current Status of Concentrator Photovoltaic (CPV) Technology" (PDF). Archived from the original on 25 April 2015. Retrieved 25 April 2015.
- [4] "Snapshot of Global PV 1992-2013" (PDF). <http://www.iea-pvps.org/>. International Energy Agency-Photovoltaic Power Systems Programme. 2014. Archived from the original on 5 April 2014.
- [5] "Photovoltaics Report" (PDF). Fraunhofer ISE. 28 July 2014. Archived from the original on 31 August 2014. Retrieved 31 August 2014
- [6] PV-insider.com How CPV trumps CSP in high DNI locations, 14 February 2012
- [7] Rob Andrews, Nabeil Alazzam, and Joshua M. Pearce, "Model of Loss Mechanisms for Low Optical Concentration on Solar Photovoltaic Arrays with Planar Reflectors", *40th American Solar Energy Society National Solar Conference Proceedings*, pp. 446-453 (2011). free and open access,



- [8] Andrews, Rob W.; Pollard, Andrew; Pearce, Joshua M., "Photovoltaic system performance enhancement with non-tracking planar concentrators: Experimental results and BDRF based modelling," *Photovoltaic Specialists Conference (PVSC), 2013 IEEE 39th*, pp.0229,0234, 16–21 June 2013.doi: 10.1109/PVSC.2013.6744136
- [9] S. Kurtz."Opportunities and Challenges for Development of a Mature Concentrating Photovoltaic Power Industry"(PDF).www .nrel.gov. p. 5 (PDF: p. 8).Retrieved 2012-02-08.