

Implementation of Current Sensorless Dual-Boost Half Bridge Digital PFC Converter with Capacitor Voltage Balancing Condition

Ms. Gangurde Charushila K.¹, Prof. Agnihotri S.P.².

¹ Student, ² Head

Department of Electronics & Telecommunication Engineering,
GES' RHSCOEMS &R Nashik, Maharashtra (India)

ABSTRACT

The Power Factor Correction (PFC) converters of bridgeless category are often used to improve the efficiency of the conventional boost-type power factor correction (PFC) converters with the diode bridge circuit. The short circuit problems are not occurred due to non-in ability of series connected switches for improving PFC Dual boost Half-bridge circuit is used. The DBHB PFC converter model is developed in added to simplified the conventional two loop Control scheme and reduce the number of current sensors. Then, the current sensor-less control for DBHB PFC converter is proposed to achieve voltage regulation and yield sinusoidal input current in phase with the input voltage without sensing any current. In addition, the proposed method is able to balance capacitor voltages naturally without adding any voltage balancing control loop. The above maintain method we proposed for observing the performance of the DBHB PFC planning to design in Matlab/Simulation and planning for experimental setup.

Keyword: - Boost Converter, Dual Boost Half Bridge (DBHB), Insulated Gate Bipolar Transistor (IGBT), Power factor, Power Factor Correction (PFC) converter.

1. INTRODUCTION

In order to reduce the power transmission loss and improve the power quality, more and more electronic products are required to include the power factor correction (PFC) function. The conventional PFC function is often implemented in the circuit topology a diode bridge rectifier with a single-switch boost converter . This topology is simple, but it suffers from larger conduction voltage drop and switch power loss than other topologies, such as half-bridge PFC converter , full-bridge converter , and the bridgeless PFC converters. The Power Factor Correction (PFC) converters of bridgeless category are often used to improve the efficiency of the conventional boost-type power factor correction (PFC) converters with the diode bridge circuit. Due to no series-connected switches and no short-through risks, the dual-boost half-bridge (DBHB) circuit is used as the PFC converter. Then, the current sensor less control for DBHB PFC converter is proposed to achieve voltage regulation and yield sinusoidal input current in phase with the input voltage without sensing any current.

1.1 Power Factor:-

Power factor is defined as the cosine of the angle between voltage and current in an ac circuit. There is generally a phase difference ϕ between voltage and current in an ac circuit. $\cos \phi$ is called the power factor of the circuit. If the circuit is inductive, the current lags behind the voltage and power factor is referred to as lagging. However, in a capacitive circuit, current leads the voltage and the power factor is said to be leading.

In a circuit, for an input voltage V and a line current I ,

- 1) $V \cos \phi$ –the active or real power in watts or kW.
- 2) $V \sin \phi$ - the reactive power in VAR or kVAR.
- 3) VI - the apparent power in VA or kVA.

Power Factor gives a measure of how effective the real power utilization of the system is. It is a measure of distortion of the line voltage and the line current and the phase shift between them. **Power Factor=Real power (Average)/Apparent power.** Where, the apparent power is defined as the product of rms value of voltage and current.

1.1.1 Linear System:-

In a linear system, the load draws purely sinusoidal current and voltage; hence the power factor is determined only by the phase difference between voltage and current .i.e. $PF = \cos \phi$

1.2 Power Factor Correction:-

Power factor correction is the term given to a technology that has been used since the turn of the 20th century to restore the power factor to as close to unity as is economically viable. This is normally achieved by the addition of capacitors to the electrical network which compensate for the reactive power demand of the inductive load and thus reduce the burden on the supply. There should be no effect on the operation of the equipment.

1.2.1 Types of Power Factor Correction:-

A) Passive Power Factor Correction (PFC):-

Harmonic current can be controlled in the simplest way by using a filter that passes current only at line frequency (50 or 60 Hz). Harmonic currents are suppressed and the non-linear device looks like a linear load. Power factor can be improved by using capacitors and inductors i.e. passive devices. Such filters with passive devices are called passive filters.

Disadvantage:-They require large value high current inductors which are expensive and bulky. A passive PFC circuit requires only a few components to increase efficiency, but they are large due to operating at the line power frequency.

B) Active Power Factor Correction (PFC) :-

An active approach is the most effective way to correct power factor of electronic supplies. Here, we place a boost converter between the bridge rectifier and the main input capacitors. The converter tries to maintain a constant DC output bus voltage and draws a current that is in phase with and at the same frequency as the line voltage.

II. BOOST CONVERTER & IGBT

2.1 Principle of Step-Up Operation (Boost Converter):-

The circuit diagram of a step up operation of Boost Converter is shown in **Figure 2.1**. The output voltage is always greater than the input voltage. When the switch is closed for time duration, the inductor current rises and the energy is stored in the inductor. If the switch is opened for time duration, the energy stored in the inductor is transferred to the load via the diode and the inductor current falls.




Fig.2.1:- General Configuration of a Boost Converter

2.2 Operating principle of an IGBT:-

Operating principle of an IGBT can be explained in terms of the schematic cell structure and equivalent circuit of Fig 2.2(a) and (c). From the input side the IGBT behaves essentially as a MOSFET. Therefore, when the gate emitter voltage is less than the threshold voltage no inversion layer is formed in the **p** type body region and the device is in the off state. The forward voltage applied between the collector and the emitter drops almost entirely across the junction J_2 . Very small leakage current flows through the device under this condition. In terms of the equivalent circuit of Fig 2.2(c), when the gate emitter voltage is lower than the threshold voltage the driving MOSFET of the Darlington configuration remains off and hence the output **p-n-p** transistor also remains off.




Fig.2.2:-Parasitic thyristor in an IGBT cell. a) Schematic Structure , b) Exact Equivalent Circuit, c) Approximate Equivalent Circuit

When the gate emitter voltage exceeds the threshold, an inversion layer forms in the **p** type body region under the gate. This inversion layer (channel) shorts the emitter and the drain drift layer and an electron current flow from the emitter through this channel to the drain drift region. This in turn causes substantial hole injection from the **p+** type collector to the drain drift region. A portion of these holes recombines with the electrons arriving at the drain drift region through the channel. The rest of the holes cross the drift region to reach the **p** type body where they are collected by the source metallization. From the above discussion it is clear that the **n** type drain drift region acts as the base of the output **p-n-p** transistor. The doping level and the thickness of this layer determine the current gain “ α ” of the **p-n-p** transistor. This is intentionally kept low so that most of the device current flows through the MOSFET and not the output **p-n-p** transistor collector. This helps to reduced the voltage drop across the “body” spreading resistance shown in Fig 2.2 (b) and eliminate the possibility of static latch up of the IGBT.

The total on state voltage drop across a conducting IGBT has three components. The voltage drop across J_1 follows the usual exponential law of a **pn** junction. The next component of the voltage drop is due to the drain drift region resistance. This component in an IGBT is considerably lower compared to a MOSFET due to strong conductivity modulation by the injected minority carriers from the collector. This is the main reason for reduced voltage drop across an IGBT compared to an equivalent MOSFET. The last component of the voltage drop across an IGBT is due to the channel resistance and its magnitude is equal to that of a comparable MOSFET.

III. PROPOSED CURRENT SENSORLESS CONTROL:-

In order to reduce the current sensor, the single-loop current sensor-less control is proposed. The proposed current sensor-less control is able to regulate the output voltage V_o and shape the input current is in phase with the input voltage v_s . For the PFC function, the desired average current can be expressed as the $\sin(\omega t)$ function. Therefore, the average inductor voltage $\langle v_L \rangle_{T_s}$ should be

$$\langle i_s \rangle_{T_s} = \langle i_L \rangle_{T_s} = \hat{I}_s \sin(\omega t)$$

forced to the $\cos(\omega t)$ expression

$$\langle v_L \rangle_{T_s} = L \frac{d\langle i_L \rangle_{T_s}}{dt} = \omega L \hat{I}_s \cos(\omega t) = \hat{V}_L \cos(\omega t)$$

where the value $\hat{V}_L = \omega L \hat{I}_s$ can be seen as the amplitude of the inductor voltage $\langle v_L \rangle_{T_s}$. The control signal v_{cont} can be obtained as

$$v_{cont} = \frac{\hat{V}_{tri}}{2} - \frac{\hat{V}_{tri}}{V_o^*} \left\{ |v_s| - \left[V_{ON} + \frac{1}{2} \text{sign}(v_s)(v_{C1} - v_{C2}) \right] + \hat{V}_L \left(h_1 + h_2 \frac{r_L}{\omega L} \right) \right\}$$

where $| \cdot |$ is the absolute (ABS) operator and the terms $h_1 = \cos(\omega t) \text{sign}(v_s)$ and $h_2 = |\sin(\omega t)|$ are Synchronously generated from the input voltage v_s . The proposed current sensor-less control scheme is plotted in Fig. 4.1. A simple integrator controller is used to regulate the output voltage and tune the voltage signal V^L .

$$\hat{V}_L = \frac{K_i}{s} v_{error} = \frac{K_i}{s} (V_o^* - v_{C1} - v_{C2})$$

The average power P can be expressed as,

$$P = \frac{\hat{V}_s \hat{I}_s}{2} = \frac{\hat{V}_s}{2} \left(\frac{\hat{V}_L}{\omega L} \right)$$




Fig. 3.1:- Proposed current sensorless control scheme.

It shows that the average power is proportional to the controller output V^L . From Fig. 3.1, the integrator tunes the voltage amplitude signal V^L . It follows that a simple integrator controller is able to balance the average power flow and thus, regulate the output voltage. From Fig. 4.1, the amplitude of voltage signal V^L

is determined from the difference between the output voltage V_o and the voltage command V_o^* through an integrator controller. The voltage error v_{error} in the imbalanced condition can be approximated as

$$v_{error} \approx V_{error} - a \cos(\omega t)$$

where V_{error} is the dc voltage error and the line-frequency component is dominant ripple. After the integrator controller with gain K_i , the controller output V_L .

$$\hat{V}_L = \hat{V}_{L0} - K_i \frac{a}{\omega} \sin(\omega t)$$

where \hat{V}_{L0} is the dc value of V_L .

The small-signal transfer function between the output voltage ΔV_o and the controller output ΔV_L can be obtained from the power balance between the input power P_s , the load power P_R and two capacitor powers PC_1 , PC_2 . The input power P_s with small perturbation ΔP_s can be expressed as

$$P_s + \Delta P_s = \frac{\hat{V}_s (\hat{V}_L + \Delta \hat{V}_L)}{2\omega L} = \frac{\hat{V}_s \hat{V}_L}{2\omega L} + \frac{\hat{V}_s \Delta \hat{V}_L}{2\omega L}$$

The load power P_R with small perturbation ΔP_R can be represented by the voltage command V_o^* plus the output voltage perturbation ΔV_o .

$$P_R + \Delta P_R = \frac{(V_o^* + \Delta V_o)^2}{R_L} \approx \frac{(V_o^*)^2}{R_L} + \frac{2V_o^* \Delta V_o}{R_L}$$

The two capacitor power perturbations ΔPC_1 and ΔPC_2 can be depicted by the output voltage perturbation ΔV_o , respectively.

$$\Delta P_{C1} = \frac{d}{dt} \left[\frac{1}{2} C \left(\frac{1}{2} V_o^* + \frac{1}{2} \Delta V_o \right)^2 \right] \approx \frac{1}{4} C V_o^* \frac{d\Delta V_o}{dt}$$

$$\Delta P_{C2} = \frac{d}{dt} \left[\frac{1}{2} C \left(\frac{1}{2} V_o^* + \frac{1}{2} \Delta V_o \right)^2 \right] \approx \frac{1}{4} C V_o^* \frac{d\Delta V_o}{dt}$$

Hence, Small transfer signal function gain is

$$G_s(s) = \frac{\Delta V_o}{\Delta \hat{V}_L} = \frac{\hat{V}_s}{2\omega L} \frac{2}{C V_o^* \left(s + \frac{4}{CR_L} \right)}$$

By using an integrator controller $G_c(s) = K_i/s$

$$\frac{\Delta V_o}{\Delta V_o^*} = \frac{K_i \frac{\hat{V}_s}{\omega L C V_o^*}}{s^2 + \frac{4}{CR_L} s + K_i \frac{\hat{V}_s}{\omega L C V_o^*}}$$

The block diagram closed-loop voltage control shows in fig. 4.2.




Fig.3.2:-Block diagram of closed-loop voltage control.

IV. SIMULATION RESULT AND DISCUSSION

In this section, some simulation results of the proposed current sensor-less control for dual-boost half-bridge PFC converter are provided. The simulation parameters and some nominal values are listed in Table I. The root-mean-square (rms) value of input voltage v_s is 110 V and the line frequency f is 50 Hz. The voltage controller is a simple integrator which is used to tune the controller output V^L .

A .Steady State Response:-

The steady-state waveforms with the output power 400W and 800W respectively. It is found that the input current is sinusoidal in phase with the input voltage v_s . Moreover, the output voltage V_o is well regulated to the voltage command $V_o^* = 400V$, and both output capacitor voltages V_{c1} and V_{c2} are well balanced at 200V. Obviously, significant line-frequency components can be found in each capacitor voltage, but only double-line frequency component can be found in the output voltage V_o .

TABLE 1. SIMULATION PARAMETERS

Input voltage	$V_s = 110V$
Output Voltage Command	$V_o^* = 400V$
Switching Frequency	$f_s = 45kHz$
Line Frequency	$f = 50Hz$
Inductances	$L_A = L_B = 2\text{ mH}$
Inductor resistances	$r_{L_A} = r_{L_B} = 0.4\Omega$
Capacitance	$C_1 = C_2 = 1170\mu F$
Capacitance voltage	$V_{ON} = 2V$
Integrator gain	$K_i = 30$




Fig.4.1.Simulation Results of steady-state waveforms: (a) Resistive load=400Ω (b) Resistive load=200Ω & Inductive load=2mH.

B. Transient Response:-

In order to evaluate the transient responses of the proposed current sensor-less control, the load resistor is changed between 400Ω and 200Ω. Some simulation results are plotted in Fig. 4.2. The yielded input current i_s is still sinusoidal in phase with the input voltage v_s , and the output voltage V_o is stably regulated back to 400V during the change of the load resistor. Thus, the simple integrator controller included in the voltage loop is able to regulate the output voltage.




Fig.4.2.Simulation results when the load resistor changes: (a) from Resistive Load=400Ω to 200Ω (b) from Resistive Load=200Ω to 400Ω, L Load=2mH.

C. Capacitor voltage Balancing:-

The simulation results are plotted in Fig.4.3 (a) It can be found that the capacitor voltage v_{C1} gradually drops down to 155V, and the other capacitor voltage v_{C2} rises up to near 245V simultaneously due to the proposed current sensor-less control. In Fig. 4.3 (b), the extra 100Ω resistor is suddenly connected to the capacitor C_2 . The capacitor voltages v_{C1} and v_{C2} gradually fluctuate to 245V and 155V, respectively, but the output voltage V_o is regulated to 400V.




Fig.4.3:-Simulation results when a 100Ω resistor is connected to (a) the capacitor C_1 original waveforms; (b) the capacitor C_2 original waveforms.

V. CONCLUSION

The single-switch model for Dual-Boost Half Bridge (DBHB) PFC converter has been developed. The current sensor-less control method for DBHB PFC converter has been proposed and implemented in this paper. To gain the efficiency over the conventional boost type power factor correction (PFC) converters with the diode bridge, We use the Power Factor Correction (PFC) converters of bridgeless category. The short circuit problems are not occurred due to non inability of series connected switches for improving PFC Dual boost Half-bridge circuit is used. The DBHB PFC converter model is developed in added to simplified the conventional two loop control scheme and reduces the number of current sensors. The integrator-type voltage controller is able to regulate the output voltage and balance the capacitor voltages. The proposed control strategy effectively achieves PFC function in steady-state condition and transient condition. Moreover, the capacitor voltages can be naturally balanced by the proposed control method. This control method can be used to the half-bridge PFC converter due to the same single-switch model.

VI. ACKNOWLEDGEMENT

First and the foremost I, take this opportunity to express gratitude to my guide, Mr. S. P. Agnihotri, for his constant encouragement and support throughout the project implementation. I sincerely thank Prof. S. P. Agnihotri, Head of Department of Electronics & Telecommunication Engineering for his advice and support during course of this work.

With deep sense of gratitude I thank to our Principal Dr. P. C. Kulkarni and Management of Gokhale Education Society for providing all necessary facilities and their constant encouragement and support. I also express my thanks to all teaching and non-teaching staff for their kind co-operation and guidance also.

REFERENCES

- [1]. R. Srinivasan and R. Oruganti, "A Unity Power Factor Converter Using Half-Bridge Boost Topology," IEEE Trans. Power Electron, vol. 13, May 1998.
- [2]. Liu and K. Smedley, "Control of a Dual Boost Power Factor Corrector for High Power Applications," in Proc. IEEE IECON, 2003.
- [3]. M. H. Rashid, Power Electronics: Circuits, Devices and Applications, 3rd edition, Pearson, 2004
- [4]. M. Chen and J. Sun, "Feed-forward Current Control of Boost Single-Phase PFC Converters," IEEE Trans. Power Electron, vol. 21, Feb. 2006.
- [5]. R. Ghosh and G. Narayanan, "A Simple Analog Controller for Single-Phase Half-Bridge Rectifier," IEEE Trans. Power Electron, vol. 22, Jan. 2007.
- [6]. H. C. Chen, H. Y. Li and R. S. Yang, "Phase Feed-forward Control for Single-Phase Boost-Type SMR," IEEE Trans. Power Electron. vol. 24, May 2009.
- [7]. T. Qi, L. Xing, and J. Sun, "Dual-Boost Single-Phase PFC Input Current Control Based on Output Current Sensing," IEEE Trans. Power Electron, vol. 24, Nov. 2009.
- [8]. F. J. Azcondo, and A. de Castro, V. M. Lopez, and O. Garcia, "Power Factor Correction without Current Sensor Based on Digital Current Rebuilding," IEEE Trans. on Power Electronics, vol. 25, Jan. 2010.
- [9]. J. M. Wang, S. T. Wu, Y. Jiang, and H. J. Chiu, "A Dual-Mode for the Boost PFC Converter," IEEE Trans. Ind. Electron., vol. 58, Jan. 2011.
- [10]. S. M. Park, Y. D. Lee, and S. Y. Park, "Voltage Sensor-less Feed-forward Control of a Dual Boost PFC Converter for Battery Charger Applications," in Proc. Energy Convers. Cong. Expo. (ECCE), 2011.
- [11]. H. C. Chen, C. C. Lin, and J. Y. Liao, "Modified Single-Loop Current Sensor-less Control for Single-Phase Boost-Type SMR With Distorted Input Voltage," IEEE Trans. Power Electron., vol. 26, May 2011.
- [12]. P. Fang and Y. F. Liu, "A Innovative Current Sensor-less Continuous Conduction Mode PFC Control," in Proc. IEEE ECCE Conf., 2013.
- [13]. H. C. Chen, and J. Y. Liao, "Bidirectional Current Sensor-less Control for Full-Bridge AC/DC Converter with Considering Both Inductor Resistance and Conduction Voltages," IEEE Trans. on Power Electronics, vol. 29, 2013.
- [14]. Edison R. C. da Silva and Malik E. Elbuluk, Fundamentals of Power Electronics chapter(2) "Power electronics for renewable and distributed energy system".Springer international publishing,2013
- [15]. V. M. Lopez, F. J. Azcondo, and A. de Castro, and R. Zane, "Universal Digital Controller for Boost CCM Power Factor Correction Stages Based on Current Rebuilding Concept," IEEE Trans. on Power Electronics, vol. 29, July 2014.
- [16]. K. I. Hwu, Y. T. Yau, and Y. C. Chang, "Full-Digital AC/DC Converter with PFC Based on Counting," IEEE Trans. Ind. Inform., vol. 11,Jan. 2015.

- [17]. H. H. Shin, H. Cha, H. G. Kim, D. W. Yoo, "Novel Single-Phase PWM AC–AC Converters Solving Commutation Problem Using Switching Cell Structure and Coupled Inductor," IEEE Trans. Power Electron., vol. 30, April 2015.
- A. Engel, S. Nandi and I. Panfilov, "Current Sensor-less Control of a Boost-Type Switch Mode Rectifier Using an Adaptive Inductor Model," in Proc. IEEE ECCE Conf., 2015.
- [18]. K. Yao, W. Hu, Q. Li, and J. Lyu, "A Novel Control Scheme of DCM Boost PFC Converter", IEEE Trans. Power Electron., vol. 30, Oct. 2015.
- [19]. Che-Yu Lu, Hung-Chi Chen, Wei-Cheng Chen and Chung-Yi Li "Current Sensor-less Control for Dual-Boost Half-Bridge PFC Converter" IEEE Conf, 2015.